

# University of Tennessee, Knoxville Trace: Tennessee Research and Creative Exchange

Environment (Indoor & Outdoor)

**UT Extension Publications** 

1-2007

### SP688-Radon in Tennessee

The University of Tennessee Agricultural Extension Service

Follow this and additional works at: http://trace.tennessee.edu/utk agexenvi

#### Recommended Citation

"SP688-Radon in Tennessee," The University of Tennessee Agricultural Extension Service, SP688-1/07-1M R12-5310-060-019-07 07-0140, http://trace.tennessee.edu/utk\_agexenvi/4


The publications in this collection represent the historical publishing record of the UT Agricultural Experiment Station and do not necessarily reflect current scientific knowledge or recommendations. Current information about UT Ag Research can be found at the UT Ag Research website.

This Indoor Environmental Concerns - Indoor Air Quality is brought to you for free and open access by the UT Extension Publications at Trace:

Tennessee Research and Creative Exchange. It has been accepted for inclusion in Environment (Indoor & Outdoor) by an authorized administrator of Trace: Tennessee Research and Creative Exchange. For more information, please contact trace@utk.edu.

### Surgeon General of the United States Health Advisory

Indoor radon gas is a national health problem. Radon causes thousands of deaths each year. Millions of homes have elevated radon levels. Most homes should be tested for radon. When elevated levels are confirmed, the problem should be corrected.



For more information about radon in your county, contact your local Extension office or the Tennessee Department of Environment and Conservation Radon Hot Line at 1-800-232-1139.

#### Box for local county info


Visit the UT Extension Health & Safety Web site at http://fcs.tennessee.edu/healthsafety/index.htm

SP688-1/07-1M R12-5310-060-019-07 07-0140


Copyright 2007 The University of Tennessee. All rights reserved. This document may be reproduced and distributed for nonprofit educational purposes providing credit is given to University of Tennessee Extension.

Programs in agriculture and natural resources, 4-H youth development, family and consumer sciences, and resource development. University of Tennessee Institute of Agriculture, U.S. Department of Agriculture and county governments cooperating. UT Extension provides equal opportunities in programs and employment.

The Tennessee Radon Program is a partnership of the U.S. Environmental Protection Agency (EPA), the Tennessee Department of Environment and Conservation (TDEC) and University of Tennessee Extension. This project is funded under an agreement with the Tennessee Department of Environment and Conservation, Division of Radiological Health—Radon Program and the U.S. Environmental Protection Agency.



**Radon in Tennessee** 



Courtney Niemann, M.S., Extension Assistant Martha Keel, Ph. D., Professor, Housing and Environmental Health Family and Consumer Sciences

THE UNIVERSITY OF TENNESSEE

#### What is radon?

Radon is a tasteless, odorless and colorless radioactive gas produced by the decay of uranium. It is found in widely varying amounts in most soil across Tennessee and the U.S.

# Why should I be concerned about radon?

Radon gas is radioactive, which means it gives off energy – in this case, in the form of Alpha particles. If these particles are inhaled, they can damage lung tissue and possibly lead to lung cancer. Radon is the second leading cause of lung cancer in the U.S., following smoking. If you smoke and your home has an elevated radon level, your family's risk of lung cancer is greatly increased.

### Why is radon a problem now?


Since the 1970s, housing construction has changed to become more energy efficient. A modern, tightly-built home can allow radon gas to reach dangerous levels, increasing the risk for lung cancer.

#### What should I do?

The only way to know if your home has radon is to test it.

# What if I find my home has dangerous radon levels?

By having a certified radon mitigator install a radon reduction system, you can reduce even high levels of radon gas to levels below the EPA's recommended action level of 4 pCi/L. These systems work and are not too costly.



# How do I test my home for radon?

There are two ways to test for radon: a short-term test or a year-long test.

Short-term testing lasts for two to 90 days, depending on the test device.

Year-long testing is recommended for Tennessee because of the geology. This type of testing gives more accurate test results.

## Where can I get a radon test kit?

Radon test kits are available from your local county Extension office and most home and hardware stores or you can call 1-800-232-1139.

### How much do they cost?

The short-term test kits are usually less than \$12, and the year-long test kits are usually less than \$30. This price should include a laboratory analysis and all postage.

