



5-2009

SP605-Childhood Lead Poisoning

The University of Tennessee Agricultural Extension Service

Follow this and additional works at: http://trace.tennessee.edu/utk_agexenvi

Recommended Citation

"SP605-Childhood Lead Poisoning," The University of Tennessee Agricultural Extension Service, SP605-3M-5/09 (REP)
R12-5310-134-049-09 09-0247, http://trace.tennessee.edu/utk_agexenvi/8

The publications in this collection represent the historical publishing record of the UT Agricultural Experiment Station and do not necessarily reflect current scientific knowledge or recommendations. Current information about UT Ag Research can be found at the [UT Ag Research website](#). This Indoor Environmental Concerns - Lead Poisoning is brought to you for free and open access by the UT Extension Publications at Trace: Tennessee Research and Creative Exchange. It has been accepted for inclusion in Environment (Indoor & Outdoor) by an authorized administrator of Trace: Tennessee Research and Creative Exchange. For more information, please contact trace@utk.edu.

Childhood Lead Poisoning



Tennessee Department
of Health

*Adapted for Tennessee by Martha Keel, Professor
and Janice McCoy, former Research Associate,
Family and Consumer Sciences*

UT Extension

SP605

What is lead poisoning?

Lead poisoning is a disease that can cause serious health problems, such as brain and kidney damage, coma and even death. Even small blood lead levels can lead to learning problems and hyperactivity. You should be concerned if your child tests at even a low level; any level of lead in the blood is a concern.

Signs of lead poisoning may not be present or may be thought of as the flu. However, some symptoms could include:

- Stomach ache and/or cramps
- Low energy
- Headache and irritability
- Poor appetite

Who is at risk?

Children from birth to 6 years are at a high risk for lead poisoning because they absorb a much higher amount of lead. Their growing bodies are more likely to be damaged by lead. Pregnant women, people living in poverty and/or living in housing built before 1978 are also at high risk.



Tennessee Childhood Lead Poisoning Prevention Program (TCLPPP)

The TCLPPP is a collaboration headed by the Tennessee Department of Health and receives funds from the U.S. Centers for Disease Control. The goal is to protect Tennessee's children from lead poisoning and to promote among all populations the knowledge and skills needed to prevent lead poisoning.

Program Goals:

- Monitor blood levels in children less than 6 years of age
- Test children at 12 and 24 months
- Increase number of children screened
- Follow up on children with high levels of lead in the blood

- Increase public awareness of the dangers of lead

Program Partners

- Tennessee Department of Health
- University of Tennessee Extension
- Memphis and Shelby County Health Department
- Tennessee Department of Environment and Conservation



**Lead Testing at 1 and 2...
It's the Thing to Do**

TENNESSEE CHILDHOOD LEAD POISONING PREVENTION PROGRAM

SP605-3M-5/09 (REP) R12-5310-134-049-09 09-0247

Programs in agriculture and natural resources, 4-H youth development, family and consumer sciences, and resource development.
University of Tennessee Institute of Agriculture, U.S. Department of Agriculture and county governments cooperating.
UT Extension provides equal opportunities in programs and employment.