



3-1999

## SP530 Urban Trees for Wildlife

The University of Tennessee Agricultural Extension Service

Follow this and additional works at: [http://trace.tennessee.edu/utk\\_agexfores](http://trace.tennessee.edu/utk_agexfores)



Part of the [Animal Sciences Commons](#), and the [Plant Sciences Commons](#)

---

### Recommended Citation

"SP530 Urban Trees for Wildlife," The University of Tennessee Agricultural Extension Service, SP 530-15M-3/99  
R12-4910-17-001-00, [http://trace.tennessee.edu/utk\\_agexfores/53](http://trace.tennessee.edu/utk_agexfores/53)

The publications in this collection represent the historical publishing record of the UT Agricultural Experiment Station and do not necessarily reflect current scientific knowledge or recommendations. Current information about UT Ag Research can be found at the [UT Ag Research website](#).

This Trees for Tennessee Landscapes - Choosing the Right Tree is brought to you for free and open access by the UT Extension Publications at Trace: Tennessee Research and Creative Exchange. It has been accepted for inclusion in Forestry, Trees, and Timber by an authorized administrator of Trace: Tennessee Research and Creative Exchange. For more information, please contact [trace@utk.edu](mailto:trace@utk.edu).



# Urban Trees for Wildlife

*Wayne K. Clatterbuck, Assistant Professor  
Craig Harper, Assistant Professor  
Forestry, Wildlife & Fisheries*

Viewing wildlife on your property is educational and fun. The kinds and numbers of wildlife that visit your backyard regularly depends on your location, size of area, variety of vegetation and amount of habitat development. Ideally, the habitat surrounding your home should be diverse with several species of trees, shrubs and flowering plants providing food and cover for wildlife throughout the year. The more diverse the vegetation, the greater variety of wildlife that can be attracted to the area.

Trees, in varying stages of growth and sizes, are the backbone of any landscape. Trees provide both cover (shelter) and food for wildlife. Proper selection of plant material can meet both the aesthetic needs of the homeowner and the food and shelter needs of wildlife.

Wildlife habitat is the combination of food, cover, space and water arranged on the landscape that best fulfills the needs of wildlife. On small urban landscapes, such as backyards, all habitat components probably will not be present all year long. Most wildlife are transient and will venture over many properties to meet their habitat needs.



Wayne K. Clatterbuck

Fruits of hollies (*Ilex* spp.) are soft mast cherished by birds and small mammals.



Wayne K. Clatterbuck

Oak (*Quercus* spp.) acorns are a source of hard mast for wildlife.



James F. Parnell

Chipmunks are a favorite animal of many backyard wildlife enthusiasts.

However, providing vegetation diversity and adding components that are scarce or missing to your landscape will improve habitat. This publication focuses on trees that provide some of the cover and food that are beneficial for wildlife, primarily birds and small mammals. For more comprehensive information about planning wildlife habitat on your property, see the references listed at the end of this publication.

## Habitat Components: Cover and Food Types of Trees

### Conifers/Evergreens

Conifers and other evergreen trees do not lose their needles or green foliage during the winter. Pines, spruces, arborvitae, junipers, hemlocks, hollies, magnolias and cedars are a few of the evergreens that provide winter shelter, escape cover from predators and summer nesting sites. In addition, many wildlife species use the sap, needles, twigs, buds and seeds of evergreens for food. In Tennessee, where winter cover is often lacking, evergreens are beneficial in protecting wildlife.

### Mast- & Nut-Producing Trees

Nut- and acorn-producing trees provide high-energy nutrition for wildlife. Nuts and acorns, collectively called “hard mast,” are available only in the fall and winter. Hard mast is rich in fat, allowing many birds and mammals to build up fat reserves that help them survive the winter. Walnuts, hickories, American beech and oaks are the most abundant hard mast producers in Tennessee. While many of the fruit-producing plants are relatively short-lived, hard mast trees are long-lived. Their longevity also increases the probability of natural cavities that numerous wildlife such as squirrels, raccoons or birds can use for shelter.

### Soft-Mast Producing Trees

Although hard mast is one of the most valuable foods for wildlife because of its high energy content, other sources of food are required to sustain wildlife populations year round. A great variety of landscape plants that benefit wildlife are the soft-mast producing trees. These plants produce fleshy fruits that are used during the summer, fall and winter as a food source. Nesting, escape cover and some winter cover are provided when these plants form dense thickets. A few of the soft-mast trees in Tennessee include plums, serviceberry, dogwoods, hollies, crabapples, persimmon, apples, hawthorns, mulberry and black cherry.

### Snags

A snag is a standing dead tree. Hazardous snags that pose a threat to humans or houses should be cut. However, when posing no danger, snags are extremely valuable habitat for many species of birds, mammals, reptiles and amphibians. The most significant value of snags for wildlife is cavities for denning. Also snags can provide nesting sites, perching sites and territorial establishment. Insects commonly

occur under the bark of snags, providing food for woodpeckers, birds, squirrels and other mammals. Generally, the larger the snag, the greater its value for wildlife. However, many snags, though beneficial for wildlife, may be a property hazard and should be removed.

## Design Your Landscape with Trees

### Horizontal and Vertical Space

Your property has both vertical and horizontal dimensions. The horizontal area is the size of your lot, or surface area of the ground, within the property boundaries. The vertical area stretches from the ground to the tree tops and is composed of the overstory canopy, understory vegetation, ground-level vegetation and even the soil. Different wildlife species, especially birds, live in each of these zones. The more diverse you make the vertical structure of vegetation, the more wildlife species will be attracted and thus accommodated. Maintaining trees of different ages and sizes is a primary means of providing vertical diversity.

### Habitat Arrangement

Habitat components should be arranged on the landscape to maximize their benefit to wildlife. A food source with no nearby cover exposed to prevailing winds will not be utilized to its full potential. Poor arrangement of habitat can be detrimental to wildlife by forcing them to unprotected areas.

Providing a variety of habitat attributes in the proper arrangement will increase the chances of attracting wildlife (Figure 1). Conifers should be planted on the north to northwest side of the property to give shelter to wildlife from prevailing winds. Additional food and cover should be developed inside the windbreak to enhance habitat. Where possible, do not plant trees in straight lines. Curved, flowing lines are more appealing. Planting an odd number of plants creating an unbalanced effect provides more visual interest than a balanced, even number of plants.




Figure 1. An example of arrangement of food and cover in a backyard wildlife plan. The food source is protected from the prevailing winds by conifers and escape cover is located nearby. Adapted from Barnes 1992.

## Trees Suitable for Wildlife Plantings in Tennessee

Botanical Name	Common Name	Height	Benefit
<b>Evergreen Trees</b>			
<i>X Cupressocyparis Leylandii</i>	Leyland Cypress	30 - 40'	Winter Cover
<i>Ilex opaca</i>	American Holly	10 - 40'	Winter Cover, Fruit
<i>Ilex</i> spp. (I. x <i>attenuata</i> )	Hollies – Foster, Savannah	15 - 25'	Winter Cover, Fruit
<i>Juniperus virginiana</i>	Eastern Redcedar	40 - 90'	Winter Cover, Fruit
<i>Juniperus</i> spp.	Junipers	20 - 50'	Winter Cover
<i>Magnolia grandiflora</i>	Southern Magnolia	60 - 90'	Winter Cover, Seeds
<i>Magnolia virginiana</i>	Sweetbay	25 - 40'	Winter Cover, Seeds
<i>Pinus echinata</i>	Shortleaf Pine	80 - 100'	Winter Cover, Seeds
<i>Pinus strobus</i>	Eastern White Pine	70 - 100'	Winter Cover, Seeds
<i>Pinus taeda</i>	Loblolly Pine	70 - 100'	Winter Cover, Seeds
<i>Thuja occidentalis</i>	Eastern Arborvitae	30 - 45'	Winter Cover
<i>Tsuga canadensis</i>	Eastern Hemlock	60 - 80'	Winter Cover
<i>Tsuga caroliniana</i>	Carolina Hemlock	30 - 50'	Winter Cover
<b>Deciduous Trees</b>			
<i>Acer</i> spp.	Maples - Boxelder, Red, Sugar, Black	60 - 100'	Seeds, Buds, Flowers
<i>Amelanchier arborea</i>	Serviceberry	25 - 50'	Fruit
<i>Aralia spinosa</i>	Devil's Walkingstick	20 - 40'	Fruit, Seeds
<i>Asimina triloba</i>	Pawpaw	15 - 35'	Fruit
<i>Carpinus caroliniana</i>	Hornbeam	20 - 30'	Seeds, Catkins
<i>Carya</i> spp.	Hickories - Shagbark, Mockernut, Pignut	50 - 80'	Nuts
<i>Celtis</i> spp.	Hackberry, Sugarberry	40 - 70'	Fruit
<i>Chionanthus virginicus</i>	Fringetree	15 - 30'	Fruit, Seeds
<i>Cornus florida</i>	Dogwood	15 - 30'	Fruit, Seeds
<i>Crataegus</i> spp.	Hawthorns	15 - 30'	Cover, Fruit
<i>Diospyros virginiana</i>	Persimmon	40 - 65'	Fruit, Seeds
<i>Fagus grandifolia</i>	American Beech	60 - 80'	Nuts
<i>Fraxinus</i> spp.	Green, White Ash	60 - 80'	Seeds
<i>Gleditsia triacanthos</i>	Honeylocust	40 - 65'	Fruit, Seedpods
<i>Juglans nigra</i>	Black Walnut	70 - 100'	Nuts
<i>Malus</i> spp.	Crabapples	15 - 30'	Fruit
<i>Morus rubra</i>	Red Mulberry	40 - 60'	Fruit
<i>Nyssa sylvatica</i>	Blackgum	60 - 80'	Fruit, Seeds
<i>Ostrya virginiana</i>	Eastern Hophornbeam	20 - 35'	Fruit, Buds, Catkins
<i>Prunus serotina</i>	Black Cherry	50 - 100'	Fruit
<i>Prunus</i> spp.	Plums	20 - 30'	Fruit
<i>Quercus</i> spp.	White Oaks - Chinkapin, Chestnut, White, Post, Overcup, Bur	60 - 90'	Acorns
<i>Quercus</i> spp.	Red Oaks - Northern Red, Southern Red, Scarlet, Black, Willow, Water, Cherrybark, Shumard, Pin, Nuttall	60 - 100'	Acorns
<i>Rhamnus caroliniana</i>	Carolina Buckthorn	20 - 35'	Fruit
<i>Rhus</i> spp.	Shining, Staghorn Sumac	20 - 30'	Fruit
<i>Sassafras albidum</i>	Sassafras	40 - 60'	Fruit
<i>Sorbus americana</i>	American Mountain Ash	15 - 30'	Fruit

## Wildlife Damage

Landscaping to attract wildlife to your property also can attract nuisance animals, such as opossums, skunks, snakes, mice and other rodents. Most of these animals are highly adaptable to urban environments. You will need to balance your desire to attract wildlife with your threshold for tolerating animal damage. Some nuisances that could damage property include: woodpeckers destroying wood siding on your home, rabbits damaging your vegetable garden, bats finding a home in your attic, rodents infiltrating your house, voles eating your ornamental plants or birds roosting on your property. Your best plan of action is to take steps to prevent damage before it occurs and realize that plantings close to your house and other structures will invite wildlife, both wanted and unwanted. Contact your local Agricultural Extension office for information in controlling many pest and nuisance animals.

### Recommendations

- Select combinations of trees that provide maximum continuity of hard and soft mast, especially those that will persist into winter when other foods are scarce.
- Increase diversity by planting a variety of vegetation. The more diverse the vegetation, the greater the variety of wildlife that can be attracted to the site.
- Plant evergreen trees to provide protective cover during adverse weather. Evergreen trees are a habitat component often lacking from many urban landscapes.
- Consider snags for habitat enhancement.
- Plan both the horizontal and vertical structure of your trees and other vegetation to maximize wildlife habitat benefit.



James F. Parnell

Prairie warbler and common yellowthroat are summer residents of Tennessee.

### References

- Barnes, Thomas G. 1992. Backyard wildlife habitat management. Chapter 20 in: Private Lands Wildlife Management. University of Kentucky Cooperative Extension Service, Lexington. 11 pp.
- Cantrell, Rick L.; William G. Minser; Michael M. King. 1996 (reprint). Trees for wildlife. The University of Tennessee Agricultural Extension Service, PB1446. 10 pp.
- Henderson, Carol L. 1987. Habitat components for wildlife: a new approach to landscaping. Minnesota Department of Natural Resources, St. Paul. 145 pp.
- King, Mike. 1992. Landscaping for wildlife. In: Backyard Wildlife. The University of Tennessee Agricultural Extension Service, Knoxville. 7 pp.
- Powers, Valerie Sparkman; Robert M. Hatcher. 1982. Giving wildlife an edge. Tennessee Wildlife Resources Agency, Nashville. 44 pp.

Appreciation is expressed to Robin Young for design of this publication.  
SP 530-15M-3/99

R12-4910-17-001-00

 A State Partner in the Cooperative Extension System, The Agricultural Extension Service offers its programs to all eligible persons regardless of race, color, age, national origin, sex or disability and is an Equal Opportunity Employer, COOPERATIVE EXTENSION WORK IN AGRICULTURE AND HOME ECONOMICS, The University of Tennessee Institute of Agriculture, U.S. Department of Agriculture, and county governments cooperating in furtherance of Acts of May 8 and June 30, 1914. Agricultural Extension Service, Billy G. Hicks, Dean

Printing for this publication was funded by the USDA Forest Service through a grant with the Tennessee Department of Agriculture, Division of Forestry. The *Trees for Tennessee Landscapes* series is sponsored by the Tennessee Urban Forestry Council.

