



April 2010

# W213 Sencor™ Tolerance Ratings for Selected Wheat Varieties

The University of Tennessee Agricultural Extension Service

Follow this and additional works at: [http://trace.tennessee.edu/utk\\_agexcrop](http://trace.tennessee.edu/utk_agexcrop)

 Part of the [Plant Sciences Commons](#)

---

## Recommended Citation

"W213 Sencor™ Tolerance Ratings for Selected Wheat Varieties," The University of Tennessee Agricultural Extension Service, 09-0164 W213, [http://trace.tennessee.edu/utk\\_agexcrop/116](http://trace.tennessee.edu/utk_agexcrop/116)

The publications in this collection represent the historical publishing record of the UT Agricultural Experiment Station and do not necessarily reflect current scientific knowledge or recommendations. Current information about UT Ag Research can be found at the [UT Ag Research website](#).

This Weeds and Herbicide Application is brought to you for free and open access by the UT Extension Publications at Trace: Tennessee Research and Creative Exchange. It has been accepted for inclusion in Field & Commercial Crops by an authorized administrator of Trace: Tennessee Research and Creative Exchange. For more information, please contact [trace@utk.edu](mailto:trace@utk.edu).

# Sencor™ Tolerance Ratings for Selected Wheat Varieties

*Larry Steckel, Associate Professor, University of Tennessee*

*Bob Scott, Professor, and Jason Kelly, Extension Area Specialist, University of Arkansas*

*Chris Main, Assistant Professor, and Bob Williams, Extension Area Specialist, University of Tennessee*

Bluegrass (aka Poa) and broadleaf winter annuals like henbit have caused serious yield loss in some wheat fields the last several years. In cases where these weeds were a problem, they became established before or with the wheat. If Poa or henbit becomes established with the wheat, it can deter tillering and readily compete for nitrogen. One way to manage these weeds is to apply Sencor at 3 to 4 oz/a postemergence over the wheat that is at 2 to 41f. This timing of a Sencor application has been a very inexpensive way to manage bluegrass and broadleaf weeds like henbit. Unfortunately, through the years, some wheat varieties have been prone to injury from a Sencor application. The Sencor label contains a list of sensitive wheat varieties. However, it is dated and not one variety on the current Sencor label is grown in Tennessee. More worrisome is that no wheat variety currently grown has been tested for sensitivity to Sencor by the seed companies. As a result, over the

past two years we went to the county wheat trials and sprayed a 10-foot boom width of 4 and 16 oz/A Sencor across the back side. We then rated the varieties in the test for tolerance to Sencor. This work was conducted in Tennessee and Arkansas.

The Sencor tolerance ratings are listed as T = tolerant, MT = moderately tolerant, MS = moderately susceptible and S = susceptible. The next column on the chart lists the number of observations. The more number of observations, the more confident a producer should be in the rating. Varieties that have less than four observations should be read with caution. In general, varieties listed with a T or MT have shown good tolerance to Sencor. Growers should be cautious about using Sencor on varieties rated with a MS grown on coarse soil types. Wheat growers should avoid using Sencor on varieties rated S for Sencor tolerance.

## Disclaimer

This publication contains pesticide recommendations that are subject to change at any time. The recommendations in this publication are provided only as a guide. It is always the pesticide applicator's responsibility, by law, to read and follow all current label directions for the specific pesticide being used. The label always takes precedence over the recommendations found in this publication.

Use of trade or brand names in this publication is for clarity and information; it does not imply approval of the product to the exclusion of others that may be of similar, suitable composition, nor does it guarantee or warrant the standard of the product. The author(s), the University of Tennessee Institute of Agriculture and University of Tennessee Extension assume no liability resulting from the use of these recommendations.

# Sencor™ Tolerance Ratings for Selected Wheat Varieties

Varieties	Number of Observations	Tolerance
APCoker 1377	5	T*
APCoker 9375	2	MT
APCoker 9553	4	T
APCoker 9152	2	T
APCoker 9511	2	MS
APCoker 9663	3	MS
APCoker Beretta	4	T
APCoker Branson	9	T
APCooper	3	T
APCoker Natchez	2	MT
APCoker Panola	2	MT
AGS 2000	2	T
AGS 2050	3	MT
Armor 2010	2	MS
Armor 260Z	6	T
Armor 3015	3	T
Armor 3035	2	MT
Armor 3330	2	MS
Armor 5110	4	MT
Armor 9901	6	T
CG 554W	2	MT
CG 8302	3	T
Dyna Gro 1600	4	T
Dyna Gro 4100	2	MT
Dyna Gro 4500	3	MT
Dyna Gro 5200	3	MT
Delta King 7830	2	MS
Delta King 7710	4	MT
Delta King 9108	6	MT
Delta King 9410	3	MT

Varieties	Number of Observations	Tolerance
Delta King 9577	9	T
Delta King 9108	4	MT
Dixie 900	3	MT
Dixie 907	5	MT
Dixie 9512	2	MT
Dixie 989	10	T
FFR 556	8	MT
FFR 8302	7	T
Hornbeck 3266	4	MT
Micah 100	5	MT
McKay	5	MT
Pat	3	MS
Pioneer 26R15	10	T
Pioneer 26R22	10	T
Pioneer 26R87	3	T
Progeny 145	3	MT
Progeny 166	11	MT
Progeny 185	10	T
Roane	4	MT
Terral LA 841	3	MS
Terral TV 8558	3	T
Terral TV 8466	2	MT
Terral TVX 8331	2	MT
USG 3665	3	T
USG 3209	4	MT
USG 3342	8	T
USG 3350	9	T
Vigoro 9412	4	MT
Vigoro 9712	7	T
Vigoro 9710	6	MS

Conditions for trials varied by years and locations. During dry years, such as 2007 TN Data, little if any injury was observed. Where multiple evaluations were taken multiple rates, an overall average rating was taken Ratings with more observations imply a higher level of confidence. \*T=tolerant, MT=moderately tolerant, MS=moderately susceptible, S=susceptible

Visit the UT Extension Web site at  
<http://www.utextension.utk.edu/>

09-0164 W213

Programs in agriculture and natural resources, 4-H youth development, family and consumer sciences, and resource development. University of Tennessee Institute of Agriculture, U.S. Department of Agriculture and county governments cooperating. UT Extension provides equal opportunities in programs and employment.