



6-2010

# Childhood Perceptions of Family, Social Support, Parental Alcoholism and Later Alcohol Use among African American College Students

J. Camille Hall

*University of Tennessee, Knoxville, jhall39@utk.edu*

Follow this and additional works at: [http://trace.tennessee.edu/utk\\_blackmaj](http://trace.tennessee.edu/utk_blackmaj)

---

## Recommended Citation

Hall, J. Camille, "Childhood Perceptions of Family, Social Support, Parental Alcoholism and Later Alcohol Use among African American College Students" (2010). *Major Studies and Reports*.  
[http://trace.tennessee.edu/utk\\_blackmaj/5](http://trace.tennessee.edu/utk_blackmaj/5)

This Report is brought to you for free and open access by the Commission for Blacks at Trace: Tennessee Research and Creative Exchange. It has been accepted for inclusion in Major Studies and Reports by an authorized administrator of Trace: Tennessee Research and Creative Exchange. For more information, please contact [trace@utk.edu](mailto:trace@utk.edu).

## University of Tennessee, Knoxville

---

From the SelectedWorks of J. Camille Hall, PhD., LCSW

---

June 2010

# Childhood Perceptions of Family, Social Support, Parental Alcoholism and Later Alcohol Use among African American College Students

Contact  
Author

Start Your Own  
SelectedWorks

Notify Me  
of New Work



Available at: [http://works.bepress.com/j\\_camillehall/2](http://works.bepress.com/j_camillehall/2)



**Childhood Perceptions of Family, Social Support, Parental Alcoholism and Later Alcohol Use among African American College Students**

Journal:	<i>Journal of Substance Use</i>
Manuscript ID:	TJSU-2008-0042
Manuscript Type:	Original article
Keywords:	alcohol use, African American, college students



1  
2  
3 **Childhood Perceptions of Family, Social Support, Parental**  
4  
5 **Alcoholism and Later Alcohol Use among African American College Students**  
6  
7  
8  
9  
10  
11  
12

13 **Abstract**

14  
15 This study investigated differences in alcohol use, family of origin, and social support between a  
16 sample of adult children of alcoholics (ACOAs, 25 males and 25 females) and a sample of adult  
17 children of non-alcoholics (non-ACOAs, 25 males and 25 females). Participants completed a  
18 battery of tests: a demographic questionnaire, the Children of Alcoholics Screening Test, the  
19 Michigan Alcoholism Screening Test, the Family of Origin Scale, and the Dimension of Social  
20 Support Scale. Analysis of variance revealed that the two groups differed on alcohol  
21 consumption and family of origin, with ACOAs reporting significantly less alcohol use, and non-  
22 ACOAs reporting healthier families of origin. The findings indicate that not all ACOAs abuse  
23 alcohol or struggle with social or behavioral problems.  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60

Key words: African American college students, alcohol use

## Alcohol Use among African American College Students

## Introduction

Alcoholism is especially likely when individuals grow up with one or more alcoholic parents (Chen & Weitzman, 2005; Hall, 2004). One out of eight Americans is an adult child of an alcoholic (ACOAs) (Grant, 2000). One fundamental assumption is that many ACOAs adopt certain roles to cope with parental alcoholism, have a difficult time separating from their family of origin, are unable to establish stable commitments in love and work, and experience a severe depletion of self-esteem (Black, 2001; Geisner et al., 2004)). In particular, college student ACOAs have been shown to be at increased risk for depression and alcohol abuse (LaBrie, Hummer & Pederson, 2007; Lease, 2002) and to have lower self-esteem (Rodney, 1999) when compared with students from families without a history of addiction. When considering factors unique to college students, research has noted that ACOAs have higher levels of attrition in college than those students without a family history of alcohol abuse and/or addiction (Kitsantas, Kitsantas & Anagnostopoulou, 2008; Pascarella et al., 2007; Porter & Pryor, 2007). College student ACOAs have also been known to exhibit greater difficulty in adjusting to college life during the freshman year than students from non-alcoholic homes (Fisher et al., 2000; Pascarella et al., 2007; Porter & Pryor, 2007). College students sometimes drink large quantities of alcohol that is harmful to them (Benton, Benton, & Downey, 2006). According to the National Center on Addiction and Substance Abuse (1994) “alcohol is implicated in as many as 41% of academic problems and 28% of all college dropouts” (p. 21). For this reason, college and university faculty and staff are interested in helping students to limit the negative consequences of heavy drinking.

## Background

## Alcohol Use among African American College Students

1  
2  
3  
4 College students who abuse alcohol are at a high risk for developing negative  
5  
6 consequences, such as academic failure, risky sexual behavior, and alcohol dependence (Hall,  
7  
8 2004, 2007; Greer & Chwalisz, 2007; Lease, 2002). In addition, researchers have also found  
9  
10 surprisingly high rates of psychological distress among student populations, particularly  
11  
12 depression and anxiety (Geisner et al., 2004; Lease, 2002). There is considerable disagreement  
13  
14 in the literature regarding whether, and under what circumstances, alcohol use by college  
15  
16 students is related to psychological distress. In a college sample of 1705 undergraduate students,  
17  
18 Geisner et al. (2004) found that symptoms of psychological distress and alcohol problems was  
19  
20 significantly stronger for men than for women, and men who more distressed had more alcohol-  
21  
22 related problems than did women exhibiting the same levels of distress (Geisner et al., 2004;  
23  
24 Lease, 2002; Rodney, 1999). Past studies have revealed gender differences in the development of  
25  
26 drinking patterns and mental health problems, although even in this research, men continue to  
27  
28 drink more than women and have more alcohol-related problems than women (Chen &  
29  
30 Weitzman, 2005; Geisner et al., 2004; LaBrie, Hummer & Pederson, 2007; Rodney, 1999). In  
31  
32 this study, the relationship between alcohol use, health in family of origin, social support, and  
33  
34 gender are examined with African American college students.  
35  
36  
37  
38  
39  
40

41 Many studies have shown that people's beliefs about the effects of alcohol vary  
42  
43 depending on their ethnicity (Jones-Webb, 1998; Caetano & Clark, 1998; Grant, 2000; West &  
44  
45 Graham, 2006). Variations in alcohol expectancies are also related to different rates of alcohol  
46  
47 use and abuse among different ethnic groups. Results from West and Graham's (2006) study  
48  
49 showed ethnicity significantly predicted abusive drinking, and results from other studies  
50  
51 (Caetano, Clark & Tam, 1998; Grant, 2000; Rodney, 1995) have indicated African Americans  
52  
53 report significantly higher numbers of drinking consequences and alcohol dependence symptoms  
54  
55  
56  
57  
58  
59  
60

## Alcohol Use among African American College Students

1  
2  
3 than do whites. Caetano and Clark (1998), Caetano, Clark & Tam (1998), and Jones-Webb  
4  
5 (1998) state that although African Americans and whites report similar rates of frequent heavy  
6  
7 drinking, African Americans are more likely to die of alcohol-related illnesses and injuries, such  
8  
9 as cirrhosis of the liver and alcohol-related car crashes. Alcoholism has a highly disruptive  
10  
11 impact on family life (Scharff et al., 2004). It has a considerable impact on family members not  
12  
13 because of a sudden onset, but because of its effect on daily routines, family rituals and problem  
14  
15 solving strategies. Family disruption can have further negative impact on ACOAs and their  
16  
17 development (Werner, 1999). Many studies have documented that ACOAs grow up in family  
18  
19 environments that generally are characterized by low levels of cohesion (i.e. no close bonds  
20  
21 among family members) and high levels of conflict (Hall, 2007; Rodney, 1995; Werner, 1999;  
22  
23 Werner & Johnson, 2000). In turn, high levels of family conflict predict alcohol problems. Other  
24  
25 researchers also have investigated the interactional patterns of alcoholic families. One series of  
26  
27 studies found that compared with non-alcoholic families, alcoholic families demonstrated poorer  
28  
29 problem-solving abilities, both among the parents and within the family as a whole (Hall, 2004,  
30  
31 2007; Werner, 1999).

32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000

Poor communication and problem-solving skills may be mechanisms through which the lack of cohesion increases and conflict escalated in alcoholic homes (Kelly, French & Bountress, 2007). Bijttebier, Goethals, Ansoms (2006) investigated the relationships among parental drinking, family environment (e.g. cohesion, organization, conflict), as well as multiple indicators of adjustment (e.g. negative affect, feelings of competence, self-esteem) and child adjustment in a community sample of 207, 10-14 year olds. Findings suggest that parental alcohol problems were associated with low family cohesion, poor family organization, and low global self-worth of the child.

## Alcohol Use among African American College Students

1  
2  
3 Higher social class, social support and a stable family environment appear to be  
4  
5 protective factors for African Americans against the effects of parental alcoholism (Hall, 2007).  
6  
7 Risk factors include a high degree of family conflict and exposure to the parents' drinking. Risk  
8  
9 and resilience studies cite the importance of nurturers other than the alcoholic parent and have  
10  
11 suggested that an emotionally available mother might compensate for some of the adverse  
12  
13 influences of an alcoholic father (Burnstein, et al., 2006; Hall, 2004; Kelly, French & Bountress,  
14  
15 2007; Werner & Johnson, 2000). Other studies have suggested that a good relationship with the  
16  
17 non-alcoholic parent, particularly the non-alcoholic mother, may serve as a protective  
18  
19 mechanism (Hall, 2004, 2007; Werner, 1999). Werner (1999) writing on resilient ACOAs, cites a  
20  
21 number of possible protective facts including (1) plenty of attention from the primary caretaker  
22  
23 during infancy, (b) no additional births into the family in the first 2 years of life, (c) absence of  
24  
25 conflict between the parents during the first 2 years of life, (d) average or above IQ, (e) being  
26  
27 achievement-oriented, (f) having an internal locus of control, and (g) believing in self-help.  
28  
29  
30  
31  
32  
33

34 Other studies have identified three distinct protective factors: (1) "easy" temperament,  
35  
36 good problem-solving and communication skills, and an area of competence valued by the  
37  
38 person or society; (2) socialization practices within the family that encourage trust, autonomy,  
39  
40 initiative, and affectionate ties to a stable, caring, competent adult, whether a parent,  
41  
42 grandparent, older sibling, or other kin; and (3) external support systems in the neighborhood,  
43  
44 school, church, or the community that reinforce self-esteem and self-efficacy and provide the  
45  
46 individual with a positive set of values (Hall, 2004, 2007; Werner, 1999). Although college,  
47  
48 ACOAs have been frequently investigated few studies have examined differences in alcohol use,  
49  
50 family of origin, and social support between ACOAs and non-ACOA's. The current study was  
51  
52 designed to replicate and extend prior research and to address the gaps in existing literature.  
53  
54  
55  
56  
57  
58  
59  
60



## Alcohol Use among African American College Students

Specifically, this study compared a non-clinical sample of college adult men and women with alcoholic and non-alcoholic parents in order to examine the following questions:

- (1) What are the differences, if any, between ACOAs and non-ACOAs alcohol use, social support, and family of origin health?
- (2) Will gender impact ACOAs and non-ACOAs alcohol use, social support, and family of origin health?

## Method

## Screening and Identification of Groups

The university Institutional Review Board approved this study and all participants gave informed consent. To replicate Rodney's (1995) study as closely as possible, the study had as a goal to obtain a sample of 50 ACOAs (25 males and 25 females) and 50 non-ACOAs (25 males and 25 females). In order to reduce the risk of misclassification and to replicate Rodney's study, rigorous screening procedures were followed. To achieve this sample, a total of 686 African American undergraduate students between the ages of 18-29 enrolled at a predominantly white university in the southeast, United States completed the Children of Alcoholics Screening Test (CAST) a questionnaire used to identify child, adolescent, and adult children of alcoholics (Pilat & Jones, 1984-85). A total score of 0 or 1 indicates that the individual did not live with an alcohol-abusing parent; positive responses to 6 or more questions are indicative of parental alcoholism. Case studies have demonstrated that self-identified children of alcoholics consistently score 6 or greater on the CAST (Pilat & Jones, 1984-85). These participants received \$5 gift cards.

Individuals identified as ACOAs (N=123, final total) and non-ACOAs, (N=96, final total) were invited to return complete the second set of measures, which assessed drinking

## Alcohol Use among African American College Students

practices (Michigan Alcoholics Screening Test (MAST), family functioning (Family of Origin Scale (FOS), and social support (Dimensions of Social Support Scale (DSSS). Identification of participants and screening continued until 50 ACOAs (25 males and 25 females) and 50 non-ACOAAs (25 males and 25 females) were identified (see Table I). Individuals who completed the second battery of measures received \$20 gift cards.

[Insert Table I]

## Measures

The Children of Alcoholics Screening Test (CAST) is a 30-item inventory that reliably identifies individuals who have lived with at least one alcoholic parent, prior to the age of 16 years (Pilat & Jones, 1984-85). The CAST measure perceptions, feelings, attitudes, and experiences related to a parent's drinking. Items are answered yes (scored as 1) or no (scored as 0) to questions that assess parental alcohol abuse (e.g. "Have you ever thought that one or both of your parents had a drinking problem?" and "Did you ever feel like hiding or emptying a parent's bottle of liquor?"). Items are summed to yield an overall score. Participants were instructed that the terms *mother*, *father*, and *parent* did not necessarily mean biological parents, but also could refer to the parental figures with whom they grew up. The internal consistency reliability estimate of this scale as measured by Cronbach's coefficient alpha was .94 (for dichotomous items coefficient alpha is equivalent to KR-20) when computed for this sample.

The Michigan Alcoholic Screening Test (MAST) was devised to provide a consistent, quantifiable, instrument for the detection of alcoholism (Selzer, 1971). The MAST consists of 25 yes/no items that describe common symptoms of alcoholism; ("Do you feel you are a normal drinker?" "Have you ever gone to anyone for help about your drinking?", and "Have you ever lost friends or girlfriends/boyfriends because of drinking?"). A scoring system was formulated to

## Alcohol Use among African American College Students

1  
2  
3 yield a minimum of false positive and minimum number of false negatives. Items were weighted  
4  
5 such that drinking behaviors which indicated serious consequences were given a score of 5,  
6  
7 whereas other deviant responses were given scores of 1 or 2; the greater weight is given to more  
8  
9 serious consequences (e.g., previously hospitalized for a drinking problem) than to minor ones  
10  
11 (e.g., felt guilty about drinking). Using this system, scores could range from 0 to 56, with higher  
12  
13 scores indicating more problems (Selzer, 1971). The MAST has high test-retest reliability with  
14  
15 varied samples (e.g. males, females, Black, White, clinical and non-clinical). Cronbach's alpha  
16  
17 for this measure was .73.  
18  
19  
20  
21

22 The Family of Origin Scale (FOS) is a 40-item instrument designed to measure the health  
23  
24 of the interpersonal relationships within the family in which the respondent spent most of his or  
25  
26 her childhood years (birth to 12 years of age) (Hovestadt et al., 1985). Using a 5-point Likert-  
27  
28 type scale that ranges from strongly disagree (1), to strongly agree (5) subjects rate the extent to  
29  
30 which they agree with statements such as; "In my family it was normal to show both positive and  
31  
32 negative feelings." "Mealtimes in my home were usually friendly and pleasant." The higher the  
33  
34 overall score on the instrument, the healthier the family relationships are considered to be. The  
35  
36 internal consistency reliability estimate of this scale as measured by Cronbach's coefficient alpha  
37  
38 was .94 when computed for this sample.  
39  
40  
41  
42

43 The Dimensions of Social Support Scale (DSSS) is a 20-item instrument designed to  
44  
45 measure the extent to which respondents are receiving informational and emotional support from  
46  
47 a variety of sources (Cohen, 1999). In this study, the four support sources were: mother, father,  
48  
49 friends, a close relative and significant adult other than a relative (e.g. coach, teacher, minister)  
50  
51 in their environments. For each support source, respondents answer each item on a 5-point,  
52  
53 Likert-type scale, ranging from not at all (1) to extremely (5), in terms of the level of support  
54  
55  
56  
57  
58  
59  
60

## Alcohol Use among African American College Students

1  
2  
3 provided. Higher scores indicate more support was received. The reliability estimates of the  
4  
5 group as measured by Cronbach's alpha was .88 for mother support, .95 for father support, .85  
6  
7 for friend support, and .88 for significant other adult support.  
8  
9

## Results

10  
11  
12 The objective of these analyses was to answer two research questions: (a) what are the  
13  
14 differences, if any, between African American ACOAs and non-ACOA's alcohol use, social  
15  
16 support, and health in family of origin? (b) Will gender impact African American ACOA's and  
17  
18 non-ACOA's alcohol use, level of social support, and health in family of origin. The results  
19  
20 indicate that ACOAs had more drinking problems than non-ACOA's; and ACOAs and non-  
21  
22 ACOAs differed significantly on family-of-origin health, social support from the father and  
23  
24 significant other adult. ACOAs experienced greater social support from their fathers than did  
25  
26 non-ACOA's, but poorer family-of-origin health, less support from a significant other adult and  
27  
28 less academic autonomy than did non-ACOA's. Data were subjected to analysis of variance with  
29  
30 family-of-origin health and the four social support subscales (e.g. mother, father, friend, and  
31  
32 other adult) as the independent variables. Poorer family health was related to greater alcohol use.  
33  
34 Results from these analyses are reported in Table II.  
35  
36  
37  
38  
39

40  
41 Analysis of variance was conducted to investigate differences in health of family of  
42  
43 origin between ACOAs and non-ACOA's. The results, presented in Table II, showed that ACOAs  
44  
45 family of origin is more dysfunctional than non-ACOA's; no significant difference was observed  
46  
47 for gender; but when combined with ACOAs status there was significance (see Table II). Female  
48  
49 ACOAs reported greater dysfunction than male ACOAs, but male non-ACOA's report more  
50  
51 dysfunction than female non-ACOA's. The results also indicate that ACOAs status and gender  
52  
53 impacted the level of reported social support. ACOAs reported greater "Friend" and "Mother"  
54  
55  
56  
57  
58  
59  
60

## Alcohol Use among African American College Students

1  
2  
3 support than non-ACOs, but non-ACOs report greater “Father” and “Significant Other”  
4  
5 support than ACOs. Female ACOs reported more support than male ACOs, and male non-  
6  
7 ACOs report more support than female non-ACOs.  
8  
9

10 [Insert Table II]

## Discussion

11  
12  
13  
14  
15 This study sought to expand the knowledge about collegiate African American ACOs;  
16  
17 the findings are similar to those of comparable studies conducted. The results in this study  
18  
19 support the notion that children raised in alcoholic families have different life experiences than  
20  
21 children raised in non-alcoholic families. Data indicate a distinction by gender and ACOs  
22  
23 status, regarding alcohol use. In this study, ACOs reported significantly less alcohol use, but  
24  
25 the findings indicate that non-ACOs have healthier families of origin. The results from this  
26  
27 study indicate that male ACOs and male non-ACOs consumed more alcohol than female  
28  
29 ACOs and female non-ACOs. These findings support previous research which suggests that  
30  
31 college male students are more likely to consume higher levels of alcohol when distressed. In  
32  
33 this study, female ACOs and male non-ACOs reported more dysfunction in their family of  
34  
35 origin, but female ACOs and female non-ACOs consumed less alcohol. These findings  
36  
37 challenge results from Rodney’s study in which female ACOs reportedly drank more alcohol  
38  
39 and received more support from their “mother” than male ACOs (1995).  
40  
41  
42  
43  
44  
45

46 Nearly every student encounters challenging experiences or obstacles at the beginning of  
47  
48 college that they didn’t anticipate; college ACOs might experience more difficulty without  
49  
50 family support. There are some indications that college ACOs experience higher rates of  
51  
52 attrition, are more susceptible to psychological problems, and alcohol use than non-ACOs.  
53  
54 Although it is apparent from clinical and empirical reports (Black, 2001; Hall, 2004, 2007;  
55  
56  
57  
58  
59  
60

## Alcohol Use among African American College Students

Rodney, 1995) that there are ACOAs who experience family members as distant and non-communicative; in this study participants utilized social support from family and friends. ACOAs relied on “Significant Other” support more than ACOAs. Males from both groups received support from friends and significant other(s). The results also indicate that ACOAs growing up in a healthier family environment and with stronger social support reported less alcohol consumption. These results also lend some credence to researchers who suggest that social support serves as a protective factor and fosters resilience for ACOAs (Burnstein et al., 2006; Hall, 2004, 2007; Werner & Johnson, 2000). Health in the family of origin and the availability of social were related to less alcohol use. Overall, these findings lend further support to the opinion of several researchers who believe that ACOAs are not a homogenous group and do not necessarily conform to the categorical symptomology reported in the popular literature (Burnstein et al., 2006; Hall, 2004, 2007; Lease, 2002).

## Conclusion

This study generated findings that have important implications for future research with African American ACOAs; and should be viewed in light of the following limitations. Recruitment was not random; however, the sample was drawn from a combination of advertising and posting notices in multiple setting. The sample consisted of college students from particular area of the country; thus, the results may not generalize to other areas. Data were analyzed cross-sectionally thereby limiting the ability to make causal inferences. The data were provided via self-report only. However, the assurance of confidentiality provided is believed to enhance reliability and validity of the information.

The results offer several potentially fruitful avenues for future research. Longitudinal examinations of college drinking problems are needed to establish casual pathways between

## Alcohol Use among African American College Students

1  
2  
3 health in family of origin and social support over time. Of central importance is the need for  
4  
5 those in the social and human service fields to understand the myriad of responses college  
6  
7 ACOAs experience as a result of their alcoholic parentage and to avoid assumptions that  
8  
9 pathology exists. Individuals working with ACOAs should be responsive to the needs and  
10  
11 concerns of individuals who are able to overcome the familial problems they have experienced.  
12  
13 Of central importance is the acknowledgement and implementation of culturally embedded  
14  
15 protective factors such as social support. This study serves as a springboard for future  
16  
17 investigations that will expand accurate information regarding this population. Future research  
18  
19 projects might investigate alcohol consumption, family of origin, and social support using a  
20  
21 larger and/or community sample. Research assessing a broader range of variables and additional  
22  
23 substances is also needed.  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60

## Alcohol Use among African American College Students

## References

- 1  
2  
3  
4  
5  
6 Benton, S.L., Downey, R.G., and Downey, R.G. (2006a). College student drinking,  
7 attitudes toward risks, and drinking consequences. *Journal of Studies on Alcohol*  
8 & *Drugs*, 67, 543-551.  
9  
10  
11  
12 Bijttebier, P., Goethals, E. and Ansoms, S. (2006). Parental drinking as a risk factor for  
13 children's maladjustment: the mediating role of family environment. *Psychology*  
14 of *Addictive Behavior*, 20, 126-130.  
15  
16  
17  
18 Black, C. (2001). *It will never happen to me: Growing up with addiction as youngsters,*  
19 *adolescents and adults.* Denver: M AC.  
20  
21  
22  
23  
24 Burstein, M., Stanger, C., Kamon, J. and Dumenci, L. (2006). Parent psychopathology,  
25 parenting, and child internalizing problems in substance-abusing families.  
26  
27 *Psychology of Addictive Behavior*, 20, 97-106.  
28  
29  
30  
31 Caetano, R., and Clark, C. (1998). Trends in alcohol-related problems among  
32 Whites, Blacks, and Hispanics 1984-1995. *Alcoholism: Clinical and Experimental*  
33 *Research*, 22, 534-538.  
34  
35  
36  
37  
38 Caetano, R., Clark, C., Tam, T. (1998). Alcohol consumption among racial/ethnic  
39 minorities: Theories and research. *Alcohol Research & Health*, 22, 233-242.  
40  
41  
42  
43 Chen, Y.Y. and Weitzman, E. R. (2005). Depressive symptoms, DSM-IV alcohol abuse and their  
44 comorbidity among children of problem drinkers in a national survey: effects of parent and  
45 child gender and parent recovery status. *Journal of Studies on Alcohol & Drugs*, 66, 66-73.  
46  
47  
48  
49 Cohen, F. (1977). Dimensions of Social Support Scale. Unpublished document. Stanford  
50 University, School of Medicine, San Francisco, CA.  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60



## Alcohol Use among African American College Students

1  
2  
3 Columbia University, The National Center on Addiction and Substance Abuse. rethinking rites of  
4  
5 passage: Substance abuse on America's campuses. Available at

6  
7  
8 <http://www.casacolumbia.org/pdshopprove/files/>.

9  
10 Fisher, K.E, Kittleson, M., Ogletree, R., Welshimer, K, Woehlke, P. and Benschhoff, J.

11  
12 (2000).The relationship of parental alcoholism and family dysfunction to stress among  
13  
14 college students. *Journal of American College Health*, 56, 80-89.

15  
16  
17 Geisner, I.M., Larimer, M.E., Neighbors, C. and Neighbors, C. (2004).The relationship among  
18  
19 alcohol use, related problems, and symptoms of psychological distress: gender as a  
20  
21 moderator in a college sample. *Addictive Behaviors*, 6, 843-848.

22  
23  
24 Grant, B.F. (2000). Estimates of US children exposed to alcohol abuse and dependence in  
25  
26 the family. *American Journal of Public Health*, 90,112-126.

27  
28  
29 Greer, T.W. and Chwalisz, K. (2007).Minority-related stressors and coping processes  
30  
31 among African American college students. *Journal of College Student Development*,  
32  
33 48, 388-404.

34  
35  
36 Hall, J.C. (2007).Kinship ties: attachment relationships that promote resilience in African American  
37  
38 adult children of alcoholics. *Advances in Social Work*, 8, 140-150.

39  
40  
41 Hall, J.C.(2004). An exploratory study of the role of kinship ties in fostering resilience among  
42  
43 African American adult children of alcoholics. *Dissertation Abstracts International*, 65,  
44  
45 10, 3991 (UMI No. 3152224).

46  
47  
48 Hovestadt, A., Anderson, W., Piercy, F. and Cochran, S. A. (1985). A family of origin scale.  
49  
50 *Journal of Marital Family Therapy*, 11, 287-297

51  
52  
53 Jones-Webb, R. (1998). Drinking patterns and problems among African-Americans: recent  
54  
55 findings. *Alcohol Research & Health*, 2, 260-275.

## Alcohol Use among African American College Students

- 1  
2  
3 Kelly, M.L., French, A, Bountress, K., Keefe, H. A., Schroeder, V., Steer, K., Fals-Stewart, W. and  
4  
5 Gumienny, L. (2007).Parentification and family responsibility in the family of origin of adult  
6  
7 children of alcoholics. *Addictive Behaviors*, 32, 675-687.  
8  
9  
10 Kitsantas, P, Kitsantas, A. and Anagnostopoulou, T. (2008). A cross-cultural investigation of  
11  
12 college student consumption: a classification tree analysis. *Journal of Psychology*, 14, 5-  
13  
14 11.  
15  
16  
17 LaBrie, J.W., Hummer, J.F. and Pederson, E.R. (2007).Reasons for drinking in the college student  
18  
19 context: the differential role and risk of the social motivator. *Journal of Studies of Alcohol &*  
20  
21 *Drugs*, 68, 393-398.  
22  
23  
24 Lease, S.H. (2002). A model of depression in adult children of alcoholics and non-alcoholics. *Journal*  
25  
26 *of Counseling & Development*, 80, 441-451.  
27  
28  
29 Pilat, J. and Jones, J.W. (1984-85). Identification of children of alcoholics: two empirical studies.  
30  
31 *Alcohol Health Research World*, 9, 27-33.  
32  
33  
34 Pascarella, E. T., Goodman, K. M., Seifert, T. A., Tagliapietra-Nicoli, G, & Park, S. and Wick,  
35  
36 E. (2007).College student binge drinking and academic achievement: a longitudinal  
37  
38 replication and extension. *Journal of College Student Development*, 48, 715-727.  
39  
40  
41 Porter, S. R. and Pryor, J. (2007).The effects of heavy episodic alcohol use on student  
42  
43 engagement, academic performance and time use. *Journal of College Student*  
44  
45 *Development*, 48, 455-467  
46  
47  
48 Pritchard, M.E, Wilson, G.S. and Yamnitz, B. (2007).What predicts adjustment among students?  
49  
50 *Journal of American College Health*, 56,15-21.  
51  
52  
53 Rodney, H.E. (1999). The impact of parental alcoholism on self-esteem and depression among  
54  
55 African-American adolescents. *Journal of Children & Adolescent Substatnce Abuse*, 8, 55-  
56  
57 71.  
58  
59  
60

## Alcohol Use among African American College Students

- 1  
2  
3 Rodney, H. E. (1995). A profile of collegiate Black adult children of alcoholics. *Journal of*  
4  
5 *College Student Development, 36, 228-235.*  
6  
7  
8 Scharff, J.L., Broaida, J.P., Conway, K. and Yue, A. (2004). The interaction of parental  
9  
10 alcoholism, adaptation role and familial dysfunction. *Addictive. Behaviors, 29,575-587.*  
11  
12 Selzer, M. (1971).The Michigan alcoholism screen test: a quest for a new diagnostic  
13  
14 instrument. *American Journal of Psychiatry, 12,127-138.*  
15  
16  
17 Werner, E.E. (1999).Resilient offspring of alcoholics: a longitudinal study from birth to age 18.  
18  
19 *Journal of Studies on Alcohol & Drugs, 47, 34-40.*  
20  
21  
22 Werner, E.E. and Johnson, J.L. (2000). *The role of caring adults in the lives of children of*  
23  
24 *alcoholics.* Children of Alcoholics: Selected Readings, (Volume 2). National  
25  
26 Associations for Children of Alcoholics. Rockville, MD.  
27  
28  
29 West, S.L. and Graham, C.W. (2006).Assessing parental alcoholism: predictor of Hispanic and  
30  
31 Anglo college student drinking and other drug use. *Alcohol Treatment Quarterly, 24, 93-*  
32  
33 *107.*  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60

## Alcohol Use among African American College Students

Table I

## Demographic Characteristics of Sample N=100

Characteristic	ACOA's		Non-ACOA's	
	<i>Percent</i>	<i>Percent</i>	<i>Percent</i>	<i>Percent</i>
	Male (n=25)	Female (n=25)	Male (n=25)	Female (n=25)
Age				
18-21	16	33	6	35
22-25	73	63	87	38
26-29	11	4	7	27
Annual Income				
<\$5,000	2	5	11	10
5,000-19,999	90	81	72	58
20,000-34,999	1	6	15	27
35,000 +	7	8	2	5

## Alcohol Use among African American College Students

Table II

Differences in Alcohol Use, Family of Origin Health, and Social Support, by ACOAs status and Gender

	ACOAs			non-ACOAs		
	Male	Female	Total	Male	Female	Total
MAST	4.60	4.44	4.52	3.28	3.2	3.24
Family of Origin	81.04 <sup>b</sup>	73.16 <sup>b</sup>	77.1 <sup>a</sup>	87.84 <sup>b</sup>	93.12 <sup>b</sup>	90.48 <sup>a</sup>
Social Support						
Mother	5.56 <sup>b</sup>	6.24	5.9	6.05	5.81	5.90
Father	3.25	4.06	3.66	3.78	3.57	3.68
Significant Other	3.41	3.91	3.66 <sup>a</sup>	4.92	3.96	4.44 <sup>a</sup>
Friend	5.71	6.46	6.04 <sup>a</sup>	5.45	6.16	5.93 <sup>a</sup>

<sup>a</sup> ACOAs status is significant at  $p < .05$ .

<sup>b</sup> Gender is significant at  $p < .05$ .