



4-2019

Analysis of mycobiomes to uncover biodiversity: a case study between soil fungi and orchid species in Sweden

Alice Toms
North Carolina State University

Shahid Mahmood
Swedish University of Agricultural Sciences

Roger D. Finlay
Swedish University of Agricultural Sciences

Jan Stenlid
Swedish University of Agricultural Sciences

James B. White
North Carolina State University

See next page for additional authors

Follow this and additional works at: <https://trace.tennessee.edu/masmc>

Recommended Citation

Toms, Alice; Mahmood, Shahid; Finlay, Roger D.; Stenlid, Jan; White, James B.; Cubeta, Marc A.; and Carbone, Ignazio, "Analysis of mycobiomes to uncover biodiversity: a case study between soil fungi and orchid species in Sweden" (2019). *Middle Atlantic States Mycological Conference 2019*.
<https://trace.tennessee.edu/masmc/21>

This Presentation is brought to you for free and open access by the Conferences at UT at TRACE: Tennessee Research and Creative Exchange. It has been accepted for inclusion in Middle Atlantic States Mycological Conference 2019 by an authorized administrator of TRACE: Tennessee Research and Creative Exchange. For more information, please contact trace@utk.edu.

Authors

Alice Toms, Shahid Mahmood, Roger D. Finlay, Jan Stenlid, James B. White, Marc A. Cubeta, and Ignazio Carbone

Mid-Atlantic States Mycological Conference (MASMC)
University of Tennessee – Knoxville
12-14 April 2019

ABSTRACTS - Oral Presentations

Analysis of mycobiomes to uncover biodiversity: a case study between soil fungi and orchid species in Sweden

Alice Toms^{1,3}, Shahid Mahmood², Roger D. Finlay², Jan Stenlid², James B. White³, Marc A. Cubeta³, Ignazio Carbone^{1,3}
¹Bioinformatics Research Center, North Carolina State University, ²Department of Forest Mycology and Plant Pathology, Swedish University of Agricultural Sciences, Uppsala, ³Center for Integrated Fungal Research, Department of Entomology and Plant Pathology, North Carolina State University

An analytical approach and framework were developed to examine the soil mycobiome associated with orchids in Sweden as a case study and proxy for improved taxonomic placement and understanding of fungal biodiversity. DNA was extracted, amplified, and sequenced using the entire ITS region from soil sampled from eight locations in central Sweden. Sequence data were analyzed using the DADA2 pipeline in order to use the resulting amplicon sequence variants (ASVs) for higher resolution of fungi present in the soil. Initial taxonomic assignments were performed using the UNITE database, and association between fungal order and orchid species was subsequently measured using Chi-square tests. This analysis showed an apparent enrichment of Sebaciales, which are fungi commonly associated with roots of orchids and other plant species. Further taxonomic resolution and insight into trophic behavior of sampled Sebaciales across different host plants was examined using the Tree-Based Alignment Selector (T-BAS) toolkit version 2.1. This analysis was based on a comprehensive Sebaciales phylogeny of the ITS region developed by Oberwinkler and colleagues. Phylogenetic placement showed a clear affinity of putatively sampled *Sebacina* taxa to other Sebaciales reference taxa that represent beneficial endomycorrhizal symbionts of orchids, ectomycorrhizae, and saprobic lifestyles.