



University of Tennessee, Knoxville
**TRACE: Tennessee Research and Creative
Exchange**

Major Studies and Reports

Commission for Blacks

6-2010

Childhood Perceptions of Family, Social Support, Parental Alcoholism and Later Alcohol Use among African American College Students

J. Camille Hall

University of Tennessee, Knoxville, jhall39@utk.edu

Follow this and additional works at: https://trace.tennessee.edu/utk_blackmaj

Recommended Citation

Hall, J. Camille, "Childhood Perceptions of Family, Social Support, Parental Alcoholism and Later Alcohol Use among African American College Students" (2010). *Major Studies and Reports*.
https://trace.tennessee.edu/utk_blackmaj/5

This Report is brought to you for free and open access by the Commission for Blacks at TRACE: Tennessee Research and Creative Exchange. It has been accepted for inclusion in Major Studies and Reports by an authorized administrator of TRACE: Tennessee Research and Creative Exchange. For more information, please contact trace@utk.edu.

University of Tennessee, Knoxville

From the SelectedWorks of J. Camille Hall, PhD., LCSW

June 2010

Childhood Perceptions of Family, Social Support, Parental Alcoholism and Later Alcohol Use among African American College Students

Contact
Author

Start Your Own
SelectedWorks

Notify Me
of New Work



Available at: http://works.bepress.com/j_camillehall/2



Childhood Perceptions of Family, Social Support, Parental Alcoholism and Later Alcohol Use among African American College Students

Journal:	<i>Journal of Substance Use</i>
Manuscript ID:	TJSU-2008-0042
Manuscript Type:	Original article
Keywords:	alcohol use, African American, college students



1
2
3 **Childhood Perceptions of Family, Social Support, Parental**
4
5 **Alcoholism and Later Alcohol Use among African American College Students**
6
7
8
9
10
11
12

13 **Abstract**

14
15 This study investigated differences in alcohol use, family of origin, and social support between a
16 sample of adult children of alcoholics (ACOAs, 25 males and 25 females) and a sample of adult
17 children of non-alcoholics (non-ACOAs, 25 males and 25 females). Participants completed a
18 battery of tests: a demographic questionnaire, the Children of Alcoholics Screening Test, the
19 Michigan Alcoholism Screening Test, the Family of Origin Scale, and the Dimension of Social
20 Support Scale. Analysis of variance revealed that the two groups differed on alcohol
21 consumption and family of origin, with ACOAs reporting significantly less alcohol use, and non-
22 ACOAs reporting healthier families of origin. The findings indicate that not all ACOAs abuse
23 alcohol or struggle with social or behavioral problems.
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Key words: African American college students, alcohol use

Alcohol Use among African American College Students

Introduction

Alcoholism is especially likely when individuals grow up with one or more alcoholic parents (Chen & Weitzman, 2005; Hall, 2004). One out of eight Americans is an adult child of an alcoholic (ACOAs) (Grant, 2000). One fundamental assumption is that many ACOAs adopt certain roles to cope with parental alcoholism, have a difficult time separating from their family of origin, are unable to establish stable commitments in love and work, and experience a severe depletion of self-esteem (Black, 2001; Geisner et al., 2004)). In particular, college student ACOAs have been shown to be at increased risk for depression and alcohol abuse (LaBrie, Hummer & Pederson, 2007; Lease, 2002) and to have lower self-esteem (Rodney, 1999) when compared with students from families without a history of addiction. When considering factors unique to college students, research has noted that ACOAs have higher levels of attrition in college than those students without a family history of alcohol abuse and/or addiction (Kitsantas, Kitsantas & Anagnostopoulou, 2008; Pascarella et al., 2007; Porter & Pryor, 2007). College student ACOAs have also been known to exhibit greater difficulty in adjusting to college life during the freshman year than students from non-alcoholic homes (Fisher et al., 2000; Pascarella et al., 2007; Porter & Pryor, 2007). College students sometimes drink large quantities of alcohol that is harmful to them (Benton, Benton, & Downey, 2006). According to the National Center on Addiction and Substance Abuse (1994) “alcohol is implicated in as many as 41% of academic problems and 28% of all college dropouts” (p. 21). For this reason, college and university faculty and staff are interested in helping students to limit the negative consequences of heavy drinking.

Background

Alcohol Use among African American College Students

1
2
3
4 College students who abuse alcohol are at a high risk for developing negative
5
6 consequences, such as academic failure, risky sexual behavior, and alcohol dependence (Hall,
7
8 2004, 2007; Greer & Chwalisz, 2007; Lease, 2002). In addition, researchers have also found
9
10 surprisingly high rates of psychological distress among student populations, particularly
11
12 depression and anxiety (Geisner et al., 2004; Lease, 2002). There is considerable disagreement
13
14 in the literature regarding whether, and under what circumstances, alcohol use by college
15
16 students is related to psychological distress. In a college sample of 1705 undergraduate students,
17
18 Geisner et al. (2004) found that symptoms of psychological distress and alcohol problems was
19
20 significantly stronger for men than for women, and men who more distressed had more alcohol-
21
22 related problems than did women exhibiting the same levels of distress (Geisner et al., 2004;
23
24 Lease, 2002; Rodney, 1999). Past studies have revealed gender differences in the development of
25
26 drinking patterns and mental health problems, although even in this research, men continue to
27
28 drink more than women and have more alcohol-related problems than women (Chen &
29
30 Weitzman, 2005; Geisner et al., 2004; LaBrie, Hummer & Pederson, 2007; Rodney, 1999). In
31
32 this study, the relationship between alcohol use, health in family of origin, social support, and
33
34 gender are examined with African American college students.
35
36
37
38
39
40

41 Many studies have shown that people's beliefs about the effects of alcohol vary
42
43 depending on their ethnicity (Jones-Webb, 1998; Caetano & Clark, 1998; Grant, 2000; West &
44
45 Graham, 2006). Variations in alcohol expectancies are also related to different rates of alcohol
46
47 use and abuse among different ethnic groups. Results from West and Graham's (2006) study
48
49 showed ethnicity significantly predicted abusive drinking, and results from other studies
50
51 (Caetano, Clark & Tam, 1998; Grant, 2000; Rodney, 1995) have indicated African Americans
52
53 report significantly higher numbers of drinking consequences and alcohol dependence symptoms
54
55
56
57
58
59
60

Alcohol Use among African American College Students

1
2
3 than do whites. Caetano and Clark (1998), Caetano, Clark & Tam (1998), and Jones-Webb
4
5 (1998) state that although African Americans and whites report similar rates of frequent heavy
6
7 drinking, African Americans are more likely to die of alcohol-related illnesses and injuries, such
8
9 as cirrhosis of the liver and alcohol-related car crashes. Alcoholism has a highly disruptive
10
11 impact on family life (Scharff et al., 2004). It has a considerable impact on family members not
12
13 because of a sudden onset, but because of its effect on daily routines, family rituals and problem
14
15 solving strategies. Family disruption can have further negative impact on ACOAs and their
16
17 development (Werner, 1999). Many studies have documented that ACOAs grow up in family
18
19 environments that generally are characterized by low levels of cohesion (i.e. no close bonds
20
21 among family members) and high levels of conflict (Hall, 2007; Rodney, 1995; Werner, 1999;
22
23 Werner & Johnson, 2000). In turn, high levels of family conflict predict alcohol problems. Other
24
25 researchers also have investigated the interactional patterns of alcoholic families. One series of
26
27 studies found that compared with non-alcoholic families, alcoholic families demonstrated poorer
28
29 problem-solving abilities, both among the parents and within the family as a whole (Hall, 2004,
30
31 2007; Werner, 1999).

32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000

Poor communication and problem-solving skills may be mechanisms through which the lack of cohesion increases and conflict escalated in alcoholic homes (Kelly, French & Bountress, 2007). Bijttebier, Goethals, Ansoms (2006) investigated the relationships among parental drinking, family environment (e.g. cohesion, organization, conflict), as well as multiple indicators of adjustment (e.g. negative affect, feelings of competence, self-esteem) and child adjustment in a community sample of 207, 10-14 year olds. Findings suggest that parental alcohol problems were associated with low family cohesion, poor family organization, and low global self-worth of the child.

Alcohol Use among African American College Students

1
2
3 Higher social class, social support and a stable family environment appear to be
4
5 protective factors for African Americans against the effects of parental alcoholism (Hall, 2007).
6
7 Risk factors include a high degree of family conflict and exposure to the parents' drinking. Risk
8
9 and resilience studies cite the importance of nurturers other than the alcoholic parent and have
10
11 suggested that an emotionally available mother might compensate for some of the adverse
12
13 influences of an alcoholic father (Burnstein, et al., 2006; Hall, 2004; Kelly, French & Bountress,
14
15 2007; Werner & Johnson, 2000). Other studies have suggested that a good relationship with the
16
17 non-alcoholic parent, particularly the non-alcoholic mother, may serve as a protective
18
19 mechanism (Hall, 2004, 2007; Werner, 1999). Werner (1999) writing on resilient ACOAs, cites a
20
21 number of possible protective facts including (1) plenty of attention from the primary caretaker
22
23 during infancy, (b) no additional births into the family in the first 2 years of life, (c) absence of
24
25 conflict between the parents during the first 2 years of life, (d) average or above IQ, (e) being
26
27 achievement-oriented, (f) having an internal locus of control, and (g) believing in self-help.
28
29
30
31
32
33

34 Other studies have identified three distinct protective factors: (1) "easy" temperament,
35
36 good problem-solving and communication skills, and an area of competence valued by the
37
38 person or society; (2) socialization practices within the family that encourage trust, autonomy,
39
40 initiative, and affectionate ties to a stable, caring, competent adult, whether a parent,
41
42 grandparent, older sibling, or other kin; and (3) external support systems in the neighborhood,
43
44 school, church, or the community that reinforce self-esteem and self-efficacy and provide the
45
46 individual with a positive set of values (Hall, 2004, 2007; Werner, 1999). Although college,
47
48 ACOAs have been frequently investigated few studies have examined differences in alcohol use,
49
50 family of origin, and social support between ACOAs and non-ACOA's. The current study was
51
52 designed to replicate and extend prior research and to address the gaps in existing literature.
53
54
55
56
57
58
59
60

Alcohol Use among African American College Students

Specifically, this study compared a non-clinical sample of college adult men and women with alcoholic and non-alcoholic parents in order to examine the following questions:

- (1) What are the differences, if any, between ACOAs and non-ACOAs alcohol use, social support, and family of origin health?
- (2) Will gender impact ACOAs and non-ACOAs alcohol use, social support, and family of origin health?

Method

Screening and Identification of Groups

The university Institutional Review Board approved this study and all participants gave informed consent. To replicate Rodney's (1995) study as closely as possible, the study had as a goal to obtain a sample of 50 ACOAs (25 males and 25 females) and 50 non-ACOAs (25 males and 25 females). In order to reduce the risk of misclassification and to replicate Rodney's study, rigorous screening procedures were followed. To achieve this sample, a total of 686 African American undergraduate students between the ages of 18-29 enrolled at a predominantly white university in the southeast, United States completed the Children of Alcoholics Screening Test (CAST) a questionnaire used to identify child, adolescent, and adult children of alcoholics (Pilat & Jones, 1984-85). A total score of 0 or 1 indicates that the individual did not live with an alcohol-abusing parent; positive responses to 6 or more questions are indicative of parental alcoholism. Case studies have demonstrated that self-identified children of alcoholics consistently score 6 or greater on the CAST (Pilat & Jones, 1984-85). These participants received \$5 gift cards.

Individuals identified as ACOAs (N=123, final total) and non-ACOAs, (N=96, final total) were invited to return complete the second set of measures, which assessed drinking

Alcohol Use among African American College Students

1
2
3 practices (Michigan Alcoholics Screening Test (MAST), family functioning (Family of Origin
4 Scale (FOS), and social support (Dimensions of Social Support Scale (DSSS). Identification of
5
6 participants and screening continued until 50 ACOAs (25 males and 25 females) and 50 non-
7
8 ACOAs (25 males and 25 females) were identified (see Table I). Individuals who completed the
9
10 second battery of measures received \$20 gift cards.
11
12

13
14
15 [Insert Table I]
16
17

18
19 Measures

20
21 The Children of Alcoholics Screening Test (CAST) is a 30-item inventory that reliably
22
23 identifies individuals who have lived with at least one alcoholic parent, prior to the age of 16
24
25 years (Pilat & Jones, 1984-85). The CAST measure perceptions, feelings, attitudes, and
26
27 experiences related to a parent's drinking. Items are answered yes (scored as 1) or no (scored as
28
29 0) to questions that assess parental alcohol abuse (e.g. "Have you ever thought that one or both
30
31 of your parents had a drinking problem?" and "Did you ever feel like hiding or emptying a
32
33 parent's bottle of liquor?"). Items are summed to yield an overall score. Participants were
34
35 instructed that the terms *mother*, *father*, and *parent* did not necessarily mean biological parents,
36
37 but also could refer to the parental figures with whom they grew up. The internal consistency
38
39 reliability estimate of this scale as measured by Cronbach's coefficient alpha was .94 (for
40
41 dichotomous items coefficient alpha is equivalent to KR-20) when computed for this sample.
42
43
44
45

46
47 The Michigan Alcoholic Screening Test (MAST) was devised to provide a consistent,
48
49 quantifiable, instrument for the detection of alcoholism (Selzer, 1971). The MAST consists of
50
51 25 yes/no items that describe common symptoms of alcoholism; ("Do you feel you are a normal
52
53 drinker?" "Have you ever gone to anyone for help about your drinking?", and "Have you ever
54
55 lost friends or girlfriends/boyfriends because of drinking?"). A scoring system was formulated to
56
57
58
59
60

Alcohol Use among African American College Students

1
2
3 yield a minimum of false positive and minimum number of false negatives. Items were weighted
4
5 such that drinking behaviors which indicated serious consequences were given a score of 5,
6
7 whereas other deviant responses were given scores of 1 or 2; the greater weight is given to more
8
9 serious consequences (e.g., previously hospitalized for a drinking problem) than to minor ones
10
11 (e.g., felt guilty about drinking). Using this system, scores could range from 0 to 56, with higher
12
13 scores indicating more problems (Selzer, 1971). The MAST has high test-retest reliability with
14
15 varied samples (e.g. males, females, Black, White, clinical and non-clinical). Cronbach's alpha
16
17 for this measure was .73.
18
19
20
21

22 The Family of Origin Scale (FOS) is a 40-item instrument designed to measure the health
23
24 of the interpersonal relationships within the family in which the respondent spent most of his or
25
26 her childhood years (birth to 12 years of age) (Hovestadt et al., 1985). Using a 5-point Likert-
27
28 type scale that ranges from strongly disagree (1), to strongly agree (5) subjects rate the extent to
29
30 which they agree with statements such as; "In my family it was normal to show both positive and
31
32 negative feelings." "Mealtimes in my home were usually friendly and pleasant." The higher the
33
34 overall score on the instrument, the healthier the family relationships are considered to be. The
35
36 internal consistency reliability estimate of this scale as measured by Cronbach's coefficient alpha
37
38 was .94 when computed for this sample.
39
40
41
42

43 The Dimensions of Social Support Scale (DSSS) is a 20-item instrument designed to
44
45 measure the extent to which respondents are receiving informational and emotional support from
46
47 a variety of sources (Cohen, 1999). In this study, the four support sources were: mother, father,
48
49 friends, a close relative and significant adult other than a relative (e.g. coach, teacher, minister)
50
51 in their environments. For each support source, respondents answer each item on a 5-point,
52
53 Likert-type scale, ranging from not at all (1) to extremely (5), in terms of the level of support
54
55
56
57
58
59
60

Alcohol Use among African American College Students

1
2
3 provided. Higher scores indicate more support was received. The reliability estimates of the
4
5 group as measured by Cronbach's alpha was .88 for mother support, .95 for father support, .85
6
7 for friend support, and .88 for significant other adult support.
8
9

Results

10
11
12 The objective of these analyses was to answer two research questions: (a) what are the
13
14 differences, if any, between African American ACOAs and non-ACOA's alcohol use, social
15
16 support, and health in family of origin? (b) Will gender impact African American ACOA's and
17
18 non-ACOA's alcohol use, level of social support, and health in family of origin. The results
19
20 indicate that ACOAs had more drinking problems than non-ACOA's; and ACOAs and non-
21
22 ACOAs differed significantly on family-of-origin health, social support from the father and
23
24 significant other adult. ACOAs experienced greater social support from their fathers than did
25
26 non-ACOA's, but poorer family-of-origin health, less support from a significant other adult and
27
28 less academic autonomy than did non-ACOA's. Data were subjected to analysis of variance with
29
30 family-of-origin health and the four social support subscales (e.g. mother, father, friend, and
31
32 other adult) as the independent variables. Poorer family health was related to greater alcohol use.
33
34
35 Results from these analyses are reported in Table II.
36
37
38
39

40
41 Analysis of variance was conducted to investigate differences in health of family of
42
43 origin between ACOAs and non-ACOA's. The results, presented in Table II, showed that ACOAs
44
45 family of origin is more dysfunctional than non-ACOA's; no significant difference was observed
46
47 for gender; but when combined with ACOAs status there was significance (see Table II). Female
48
49 ACOAs reported greater dysfunction than male ACOAs, but male non-ACOA's report more
50
51 dysfunction than female non-ACOA's. The results also indicate that ACOAs status and gender
52
53 impacted the level of reported social support. ACOAs reported greater "Friend" and "Mother"
54
55
56
57
58
59
60

Alcohol Use among African American College Students

1
2
3 support than non-ACOs, but non-ACOs report greater “Father” and “Significant Other”
4
5 support than ACOs. Female ACOs reported more support than male ACOs, and male non-
6
7 ACOs report more support than female non-ACOs.
8
9

10 [Insert Table II]

Discussion

11
12
13
14
15 This study sought to expand the knowledge about collegiate African American ACOs;
16
17 the findings are similar to those of comparable studies conducted. The results in this study
18
19 support the notion that children raised in alcoholic families have different life experiences than
20
21 children raised in non-alcoholic families. Data indicate a distinction by gender and ACOs
22
23 status, regarding alcohol use. In this study, ACOs reported significantly less alcohol use, but
24
25 the findings indicate that non-ACOs have healthier families of origin. The results from this
26
27 study indicate that male ACOs and male non-ACOs consumed more alcohol than female
28
29 ACOs and female non-ACOs. These findings support previous research which suggests that
30
31 college male students are more likely to consume higher levels of alcohol when distressed. In
32
33 this study, female ACOs and male non-ACOs reported more dysfunction in their family of
34
35 origin, but female ACOs and female non-ACOs consumed less alcohol. These findings
36
37 challenge results from Rodney’s study in which female ACOs reportedly drank more alcohol
38
39 and received more support from their “mother” than male ACOs (1995).
40
41
42
43
44
45

46 Nearly every student encounters challenging experiences or obstacles at the beginning of
47
48 college that they didn’t anticipate; college ACOs might experience more difficulty without
49
50 family support. There are some indications that college ACOs experience higher rates of
51
52 attrition, are more susceptible to psychological problems, and alcohol use than non-ACOs.
53
54 Although it is apparent from clinical and empirical reports (Black, 2001; Hall, 2004, 2007;
55
56
57
58
59
60

Alcohol Use among African American College Students

Rodney, 1995) that there are ACOAs who experience family members as distant and non-communicative; in this study participants utilized social support from family and friends. ACOAs relied on “Significant Other” support more than ACOAs. Males from both groups received support from friends and significant other(s). The results also indicate that ACOAs growing up in a healthier family environment and with stronger social support reported less alcohol consumption. These results also lend some credence to researchers who suggest that social support serves as a protective factor and fosters resilience for ACOAs (Burnstein et al., 2006; Hall, 2004, 2007; Werner & Johnson, 2000). Health in the family of origin and the availability of social were related to less alcohol use. Overall, these findings lend further support to the opinion of several researchers who believe that ACOAs are not a homogenous group and do not necessarily conform to the categorical symptomology reported in the popular literature (Burnstein et al., 2006; Hall, 2004, 2007; Lease, 2002).

Conclusion

This study generated findings that have important implications for future research with African American ACOAs; and should be viewed in light of the following limitations. Recruitment was not random; however, the sample was drawn from a combination of advertising and posting notices in multiple setting. The sample consisted of college students from particular area of the country; thus, the results may not generalize to other areas. Data were analyzed cross-sectionally thereby limiting the ability to make causal inferences. The data were provided via self-report only. However, the assurance of confidentiality provided is believed to enhance reliability and validity of the information.

The results offer several potentially fruitful avenues for future research. Longitudinal examinations of college drinking problems are needed to establish casual pathways between

Alcohol Use among African American College Students

1
2
3 health in family of origin and social support over time. Of central importance is the need for
4 those in the social and human service fields to understand the myriad of responses college
5 ACOAs experience as a result of their alcoholic parentage and to avoid assumptions that
6 pathology exists. Individuals working with ACOAs should be responsive to the needs and
7 concerns of individuals who are able to overcome the familial problems they have experienced.
8 Of central importance is the acknowledgement and implementation of culturally embedded
9 protective factors such as social support. This study serves as a springboard for future
10 investigations that will expand accurate information regarding this population. Future research
11 projects might investigate alcohol consumption, family of origin, and social support using a
12 larger and/or community sample. Research assessing a broader range of variables and additional
13 substances is also needed.
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Alcohol Use among African American College Students

References

- 1
2
3
4
5
6 Benton, S.L., Downey, R.G., and Downey, R.G. (2006a). College student drinking,
7 attitudes toward risks, and drinking consequences. *Journal of Studies on Alcohol*
8 & *Drugs*, 67, 543-551.
9
10
11
12 Bijttebier, P., Goethals, E. and Ansoms, S. (2006). Parental drinking as a risk factor for
13 children's maladjustment: the mediating role of family environment. *Psychology*
14 of *Addictive Behavior*, 20, 126-130.
15
16
17
18 Black, C. (2001). *It will never happen to me: Growing up with addiction as youngsters,*
19 *adolescents and adults.* Denver: M AC.
20
21
22
23
24 Burstein, M., Stanger, C., Kamon, J. and Dumenci, L. (2006). Parent psychopathology,
25 parenting, and child internalizing problems in substance-abusing families.
26
27 *Psychology of Addictive Behavior*, 20, 97-106.
28
29
30
31 Caetano, R., and Clark, C. (1998). Trends in alcohol-related problems among
32 Whites, Blacks, and Hispanics 1984-1995. *Alcoholism: Clinical and Experimental*
33 *Research*, 22, 534-538.
34
35
36
37
38 Caetano, R., Clark, C., Tam, T. (1998). Alcohol consumption among racial/ethnic
39 minorities: Theories and research. *Alcohol Research & Health*, 22, 233-242.
40
41
42
43 Chen, Y.Y. and Weitzman, E. R. (2005). Depressive symptoms, DSM-IV alcohol abuse and their
44 comorbidity among children of problem drinkers in a national survey: effects of parent and
45 child gender and parent recovery status. *Journal of Studies on Alcohol & Drugs*, 66, 66-73.
46
47
48
49 Cohen, F. (1977). Dimensions of Social Support Scale. Unpublished document. Stanford
50 University, School of Medicine, San Francisco, CA.
51
52
53
54
55
56
57
58
59
60

Alcohol Use among African American College Students

1
2
3 Columbia University, The National Center on Addiction and Substance Abuse. rethinking rites of
4
5 passage: Substance abuse on America's campuses. Available at

6
7
8 <http://www.casacolumbia.org/pdshopprove/files/>.

9
10 Fisher, K.E, Kittleson, M., Ogletree, R., Welshimer, K, Woehlke, P. and Benschhoff, J.

11
12 (2000).The relationship of parental alcoholism and family dysfunction to stress among
13
14 college students. *Journal of American College Health*, 56, 80-89.

15
16
17 Geisner, I.M., Larimer, M.E., Neighbors, C. and Neighbors, C. (2004).The relationship among
18
19 alcohol use, related problems, and symptoms of psychological distress: gender as a
20
21 moderator in a college sample. *Addictive Behaviors*, 6, 843-848.

22
23
24 Grant, B.F. (2000). Estimates of US children exposed to alcohol abuse and dependence in
25
26 the family. *American Journal of Public Health*, 90,112-126.

27
28
29 Greer, T.W. and Chwalisz, K. (2007).Minority-related stressors and coping processes
30
31 among African American college students. *Journal of College Student Development*,
32
33 48, 388-404.

34
35
36 Hall, J.C. (2007).Kinship ties: attachment relationships that promote resilience in African American
37
38 adult children of alcoholics. *Advances in Social Work*, 8, 140-150.

39
40
41 Hall, J.C.(2004). An exploratory study of the role of kinship ties in fostering resilience among
42
43 African American adult children of alcoholics. *Dissertation Abstracts International*, 65,
44
45 10, 3991 (UMI No. 3152224).

46
47
48 Hovestadt, A., Anderson, W., Piercy, F. and Cochran, S. A. (1985). A family of origin scale.
49
50
51 *Journal of Marital Family Therapy*, 11, 287-297

52
53 Jones-Webb, R. (1998). Drinking patterns and problems among African-Americans: recent
54
55 findings. *Alcohol Research & Health*, 2, 260-275.

Alcohol Use among African American College Students

- 1
2
3 Kelly, M.L., French, A, Bountress, K., Keefe, H. A., Schroeder, V., Steer, K., Fals-Stewart, W. and
4
5 Gumienny, L. (2007).Parentification and family responsibility in the family of origin of adult
6
7 children of alcoholics. *Addictive Behaviors*, 32, 675-687.
8
9
10 Kitsantas, P, Kitsantas, A. and Anagnostopoulou, T. (2008). A cross-cultural investigation of
11
12 college student consumption: a classification tree analysis. *Journal of Psychology*, 14, 5-
13
14 11.
15
16
17 LaBrie, J.W., Hummer, J.F. and Pederson, E.R. (2007).Reasons for drinking in the college student
18
19 context: the differential role and risk of the social motivator. *Journal of Studies of Alcohol &*
20
21 *Drugs*, 68, 393-398.
22
23
24 Lease, S.H. (2002). A model of depression in adult children of alcoholics and non-alcoholics. *Journal*
25
26 *of Counseling & Development*, 80, 441-451.
27
28
29 Pilat, J. and Jones, J.W. (1984-85). Identification of children of alcoholics: two empirical studies.
30
31 *Alcohol Health Research World*, 9, 27-33.
32
33
34 Pascarella, E. T., Goodman, K. M., Seifert, T. A., Tagliapietra-Nicoli, G, & Park, S. and Wick,
35
36 E. (2007).College student binge drinking and academic achievement: a longitudinal
37
38 replication and extension. *Journal of College Student Development*, 48, 715-727.
39
40
41 Porter, S. R. and Pryor, J. (2007).The effects of heavy episodic alcohol use on student
42
43 engagement, academic performance and time use. *Journal of College Student*
44
45 *Development*, 48, 455-467
46
47
48 Pritchard, M.E, Wilson, G.S. and Yamnitz, B. (2007).What predicts adjustment among students?
49
50 *Journal of American College Health*, 56,15-21.
51
52
53 Rodney, H.E. (1999). The impact of parental alcoholism on self-esteem and depression among
54
55 African-American adolescents. *Journal of Children & Adolescent Substatnce Abuse*, 8, 55-
56
57 71.
58
59
60

Alcohol Use among African American College Students

- 1
2
3 Rodney, H. E. (1995). A profile of collegiate Black adult children of alcoholics. *Journal of*
4
5 *College Student Development, 36, 228-235.*
6
7
- 8 Scharff, J.L., Broaida, J.P., Conway, K. and Yue, A. (2004). The interaction of parental
9
10 alcoholism, adaptation role and familial dysfunction. *Addictive. Behaviors, 29,575-587.*
11
12
- 13 Selzer, M. (1971).The Michigan alcoholism screen test: a quest for a new diagnostic
14
15 instrument. *American Journal of Psychiatry, 12,127-138.*
16
17
- 18 Werner, E.E. (1999).Resilient offspring of alcoholics: a longitudinal study from birth to age 18.
19
20 *Journal of Studies on Alcohol & Drugs, 47, 34-40.*
21
22
- 23 Werner, E.E. and Johnson, J.L. (2000). *The role of caring adults in the lives of children of*
24
25 *alcoholics. Children of Alcoholics: Selected Readings, (Volume 2). National*
26
27 *Associations for Children of Alcoholics. Rockville, MD.*
28
29
- 30 West, S.L. and Graham, C.W. (2006).Assessing parental alcoholism: predictor of Hispanic and
31
32 Anglo college student drinking and other drug use. *Alcohol Treatment Quarterly, 24, 93-*
33
34 *107.*
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Alcohol Use among African American College Students

Table I

Demographic Characteristics of Sample N=100

Characteristic	ACOA's		Non-ACOA's	
	<i>Percent</i>	<i>Percent</i>	<i>Percent</i>	<i>Percent</i>
	Male (n=25)	Female (n=25)	Male (n=25)	Female (n=25)
Age				
18-21	16	33	6	35
22-25	73	63	87	38
26-29	11	4	7	27
Annual Income				
<\$5,000	2	5	11	10
5,000-19,999	90	81	72	58
20,000-34,999	1	6	15	27
35,000 +	7	8	2	5

Alcohol Use among African American College Students

Table II

Differences in Alcohol Use, Family of Origin Health, and Social Support, by ACOAs status and Gender

	ACOAs			non-ACOAs		
	Male	Female	Total	Male	Female	Total
MAST	4.60	4.44	4.52	3.28	3.2	3.24
Family of Origin	81.04 ^b	73.16 ^b	77.1 ^a	87.84 ^b	93.12 ^b	90.48 ^a
Social Support						
Mother	5.56 ^b	6.24	5.9	6.05	5.81	5.90
Father	3.25	4.06	3.66	3.78	3.57	3.68
Significant Other	3.41	3.91	3.66 ^a	4.92	3.96	4.44 ^a
Friend	5.71	6.46	6.04 ^a	5.45	6.16	5.93 ^a

^a ACOAs status is significant at $p < .05$.

^b Gender is significant at $p < .05$.