



University of Tennessee, Knoxville

TRACE: Tennessee Research and Creative Exchange

Veterinary Partners Appreciation Conference (V-PAC) 2nd Annual Veterinary Partners Appreciation Conference (V-PAC), 2014

Jul 12th, 8:00 AM - 8:20 AM

Antipruritic Therapeutics

Elizabeth May
emay@utk.edu

Follow this and additional works at: <https://trace.tennessee.edu/v-pac>

 Part of the [Veterinary Medicine Commons](#)

Elizabeth May, "Antipruritic Therapeutics" (July 12, 2014). *Veterinary Partners Appreciation Conference (V-PAC)*.
<https://trace.tennessee.edu/v-pac/proceedings2014/smallanimal/12>

This Event is brought to you for free and open access by the Conferences at UT at TRACE: Tennessee Research and Creative Exchange. It has been accepted for inclusion in Veterinary Partners Appreciation Conference (V-PAC) by an authorized administrator of TRACE: Tennessee Research and Creative Exchange. For more information, please contact trace@utk.edu.

Anti-pruritic therapies – what's new?

Elizabeth R. May, DVM

Diplomate, American College of Veterinary Dermatology

The University of Tennessee

The first question to ask (although it may seem very logical) is – Is this pruritus?

What about pain?

Could it be neurogenic discomfort?

As a last resort, is there any component that could be behavioral?

**I consider patients pruritic until proven otherwise when considering behavioral problems as a component of the clinical presentation.

If this is pruritus - Why?

Secondary causes are exceedingly common and must be addressed in order to determine the primary cause of pruritus that remains, if any does remain.

- pyoderma
- demodicosis with secondary pyoderma
- yeast dermatitis
- dermatophytosis
- furunculosis – blood-tinged discharge
- otitis
- pododermatitis

Once the secondary causes have been identified, treated, and resolved, if pruritus remains a primary cause should be considered.

Primary causes

- Atopic dermatitis (environmental allergies)
- Cutaneous adverse reaction to food (food allergy)
- Flea allergic dermatitis
- Contact dermatitis - RARE

So... what is the approach?

History

- Is the pruritus seasonal?
- Is it non-seasonal?
- Is it steroid responsive?
- Is it mild, moderate, or severe?
- What is the distribution?

How do we rule in/rule out a diagnosis?

- Atopic dermatitis = rule out everything else!
- Cutaneous adverse reaction to food = elimination diet trial
- Flea allergic dermatitis = excellent flea control program

Once the diagnosis is confirmed – what are the options?

- Flea allergic dermatitis
 - Flea control
 - Steroid therapy
 - Topical therapy
- Cutaneous adverse reaction to food
 - Identify the offending food allergen
 - Avoid the offending food allergen
 - Topical therapy
- Atopic dermatitis - the challenge
 - Avoid the allergens...

- Manage the pruritus
 - Manage the side effects
 - Cost
 - Effectiveness
 - Safety

Therapeutic Options

- What's old?
 - Antihistamines
 - Fatty acid supplementation
 - Topical anesthetic agents, colloidal oatmeal
 - Steroid therapy
 - Cyclosporine (Atopica®) tacrolimus (Protopic®)
 - Allergen specific immunotherapy (ASIT)
- What's new?
 - Antihistamines - 2nd generation
 - Fatty acid supplementation - topical barrier replacement
 - Reasons for using topical therapy
 - Cyclosporine (Atopica®) tacrolimus (Protopic®)
 - Sublingual immunotherapy (SLIT)
 - Oclacitinib (Apoquel®)
- Oldies but goodies
 - Antihistamines = hydroxyzine, clemastine, diphenhydramine – sedation
 - Fatty Acid supplementation = do we need them?
 - 180mg EPA/ 5kg body weight
 - high potency formulations are available to achieve therapeutic doses with minimal side effects
 - Topical anesthetic agents, colloidal oatmeal = adjunct therapies
 - Steroid therapy
 - dexamethasone, triamcinolone, injectable steroids **are not recommended** for pruritus
- How should one choose a steroid?

If you choose steroids...

 - Monitoring – what is realistic?
 - For me, PCV/TP, blood glucose, Alk Phos, ALT, Urine culture = non-negotiable, every 6 months if steroid therapy is administered consistently, year round.
 - The goal is to find the lowest dose that can be administered on an every other day schedule.
- Cyclosporine therapy = Atopica®, Protopic®
 - When to consider generic? Should we?
 - How about compounded products?
 - Seasonal administration?
 - Therapeutic drug monitoring?
- Oclacitinib - Apoquel®
 - It's quick!
 - It's affordable!
 - It works!
 - Is it safe?
 - The relationship between drug concentrations and cytokine inhibition – understand how the drug works to determine how best to utilize this option for pruritic patients.